

15-440
Distributed Systems
Recitation 4

Tamim Jabban

Project 1


- Involves creating a *Distributed File System* (DFS): *FileStack*
- Stores data that does not fit on a single machine
- Enables clients to perform operations on files stored on **remote servers** (RMI)

Last Recitation

- Discussed the **Entities** involved and their communication
- Covered a full-fledged example that covers various **stubs** & **skeletons**

Architecture Reminder


- FileStack boasts a Client-Server architecture:




Today

- The **Naming** Package
- The **Storage** Package

The Naming Package



The Naming Package



The Naming Package

- The **Naming** Package:
 - Registration.java (**Interface**)
 - Service.java (**Interface**)
 - NamingServer.java (**public class**)
 - Implements:
 - Registration *Interface*
 - Service *Interface*

The Naming Package

- The **Naming** Package:
 - Registration.java (**Interface**)
 - Service.java (**Interface**)
 - NamingServer.java (**public class**)
 - Has Attributes:
 - Registration *Skeleton*
 - Service *Skeleton*
 - Directory Tree

Naming Package: Tree

- How can we build the *Directory Tree*?
 - One way is to use **Leaf/Branch** approach:
 - **Leaf** will represent:
 - A file and stub
 - **Branch** will represent:
 - A list of **Leafs/Branches**


The Storage Package

- The **Naming** Package:
 - Registration.java (**Interface**)
 - Service.java (**Interface**)
 - NamingServer.java (**public class**)
 - NamingStubs.java (**public class**)
 - Creates:
 - Registration *Stub*
 - Service *Stub*


Today

- The Naming Package
- The Storage Package


The Storage Package



The Storage Package



The Storage Package



These stubs are sent to the Naming server during registration

The Storage Package

- The **Storage** Package:
 - Command.java (**Interface**)
 - Storage.java (**Interface**)
 - StorageServer.java (**public class**)
 - Implements:
 - Command *Interface*
 - Storage *Interface*

The Storage Package

- The **Storage** Package:
 - Command.java (**Interface**)
 - Storage.java (**Interface**)
 - StorageServer.java (**public class**)
 - Has functions:
 - *start()*
 - *stop()*

The Storage Package

- The `StorageServer start()` function will:
 - **Start the Skeletons:**
 - *Command* Skeleton
 - *Storage* Skeleton
 - **Create the stubs**
 - *Command* Stub
 - *Storage* Stub

The Storage Package

- The `StorageServer start()` function will:
 - Registers itself with the `Naming Server` using:
 - Its files
 - The created `stubs`
 - Post registration, we receive a list of `duplicates` (*if any*):
 - Delete the duplicates
 - *Prune* directories if needed

The Storage Package

- The `StorageServer stop()` function will:
 - **Stop** the skeletons:
 - *Command* Skeleton
 - *Storage* Skeleton